

SAFETY DATA SHEET

Revision date 2015-08-28

Revision number 1.01

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	BISOMER [®] LMA
Product code	745801
Synonyms	None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use [RU]	Monomer for special polymers
Uses advised against	None known

1.3 Details of the supplier of the safety data sheet

Supplier	GEO Specialty Chemicals UK Ltd Charleston Road, Hardley, Hythe Southampton, Hampshire SO45 3ZG United Kingdom Phone: +44 (0)23 80894666 Fax No: +44 (0)23 80243113
----------	---

Responsibility Statement	For further information, please contact safety-data-sheet-fp@geosc.com
--------------------------	--

1.4 Emergency telephone number

Emergency telephone	24 Hour Emergency Phone Number GEO Specialty Chemicals UK Ltd +44 (0)23 80891806
---------------------	--

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

2.2 Label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Signal word	Not classified
Hazard statements	None

Precautionary statements

Prevention	None
Response	None
Storage	None
Disposal	None

2.3 Other hazards which do not result in classification

None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	Common name	CAS-No	weight-%
Lauryl methacrylate	Dodecyl methacrylate	142-90-5	< 70%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice	In case of adverse health effects seek medical advice.
Eye contact	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Skin contact	Rinse with running water and soap. If irritation should develop, get medical attention.
Ingestion	Rinse mouth with water, then drink one or two glasses of water.
Inhalation	Remove to fresh air.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects	None known.
-------------------------------------	-------------

4.3 Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	Water spray jet, Alcohol-resistant foam, Extinguishing powder, Carbon dioxide.
Extinguishing media which must not be used for safety reasons	High pressure waterjet.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Formation of toxic gases is possible during heating or in fires. The product may undergo spontaneous polymerization at high temperatures. Polymerization is exothermic and may cause damage to the container and/or release of thermal decomposition products.

5.3 Advice for firefighters**Special protective equipment for firefighters**

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel.

Firefighting measures

Cool exposed containers with water spray after extinguishing fire.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures**Personal precautions**

Wear suitable protective clothing and gloves.

6.2 Environmental precautions**Environmental precautions**

Do not empty into drains/surface water/ground water. Inform authorities in the event of product spillage to water courses or sewage systems.

6.3 Methods and material for containment and cleaning up**Methods for cleaning up**

Remove with liquid-absorbing material (sand, peat, sawdust). Dispose of contaminated material as waste according to Section 13.

6.4 Reference to other sections

See Section 12 for additional Ecological Information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling**Advice on safe handling**

Use only in well-ventilated areas
Ensure that eyewash stations and safety showers are close to the workstation location.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

The product is stabilized against spontaneous polymerization before delivery. However, if the permissible storage time or storage temperature are greatly exceeded the product may polymerize.
Keep only in the original container in a cool, well-ventilated place
Store at temperatures not exceeding 25 °C/ 77 °F
Store in a dry place
Store away from direct heat or sunlight.
Tanks should preferably contain no dead spaces where the product can be trapped and polymerize. Internal structural members should therefore be kept to a minimum and tanks should be welded.
Storage tank vents, especially those fitted with flame arrestors, should be inspected regularly for polymer fouling which can arise from vapor phase polymerization.
Do not store together with oxidants.
Do not store together with reductants.

Materials to avoid

Reaction with oxidants.
Reaction with reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit value

Component	Ministry of Labor (Republic of Korea, 3/2012)	ACGIH TLV
Lauryl methacrylate 142-90-5	NAV	NAV

Legend

NAV - Not available

8.2 Appropriate engineering controls

Environmental exposure controls No information available

8.3 Personal Protective Equipment

Eye/face Protection	Tight sealing safety goggles.
Hand Protection	Polychloroprene gloves. Coating thickness 1.1 mm. Level 5 > 240 min breakthrough time.
Skin and body protection	Wear suitable protective clothing
Respiratory protection	Use only in well-ventilated areas. Filter A2 is recommended in cases of prolonged exposure.
Other personal protection data	Eyewash fountains and safety showers must be easily accessible.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

*Data in this section is based on major component.

Appearance	
Physical state	liquid
Color	colorless
Odor	characteristic
Odor threshold	No information available
pH	No information available
Melting / freezing point	No information available
Boiling point / boiling range	307 °C / 584.6 °F @ 1013 hPa - literature
Flash point	> 110.0 °C / > 230 °F @ 1013 hPa - CC (closed cup)
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit	No information available
Lower flammability limit	No information available
Vapor pressure	0.06 Pa

Vapor density	No information available
Specific gravity	No information available
Solubility(ies)	
Solubility (water)	insoluble - EPA OPPTS 830.7860
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	6.68 - Calculation method
Autoignition temperature	295 °C / 563 °F - DIN 51794
Decomposition temperature	No information available
Viscosity	
Kinematic viscosity	3.74 mm ² /s @ 40 °C - OECD Test No. 114
Dynamic viscosity	No information available
Molecular weight	263 g/mol
Density	0.8720 g/cm ³ - ASTM D 1298-99

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity	Polymerizes readily unless inhibited. Polymerization is highly exothermic and, if not controlled, may be violent.
------------	---

10.2 Chemical stability

Chemical stability	Stable under normal conditions of handling, use and transportation. Periodic air sparging in storage will assist long term stability.
--------------------	---

10.3 Possibility of hazardous reactions

Hazardous polymerization	May occur if inhibitor is depleted or if exposed to high temperature.
--------------------------	---

10.4 Conditions to avoid

Conditions to avoid	This product contains a peroxidation inhibitor. To maintain inhibitor activity, oxygen must not be eliminated from the atmosphere above the product. Avoid radical forming substances (metal-ions, peroxides). Avoid heating. If prolonged excursions above the recommended storage temperature occur, then the rate of inhibitor depletion could accelerate, leading to an increased risk of polymerization. In these circumstances it is recommended that the inhibitor level be checked periodically using ASTM procedure D 3125, and more inhibitor added if depletion is observed.
---------------------	---

10.5 Incompatible materials

Materials to avoid	Reaction with oxidants. Reaction with reducing agents.
--------------------	--

10.6 Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Irritating vapors.
----------------------------------	-----------------------------------

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Acute health hazard

Inhalation	None known.
Eye contact	Not irritating.
Skin contact	Slightly irritating.
Ingestion	Low toxicity by this route.

11.2 Health hazards

Acute toxicity - Product Information

Oral LD50	> 5000 mg/kg
Dermal LD50	No information available
Inhalation LC50	No information available
Skin corrosion/irritation	Slightly irritating
Serious eye damage/eye irritation	Not irritating
Sensitization	Dermal sensitization: non-sensitizing Method: OECD Test No. 429
Germ cell mutagenicity	No information available
Mutagenicity	Non clastogenic Method: OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test
Carcinogenicity	No information available
Reproductive toxicity	NOEL >= 1000 mg/kg body weight/day
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	No information available
Aspiration hazard	No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Acute aquatic toxicity - Product Information

Fish	LC50 (96 hour) > 10000 mg/l Method: OECD Test No. 203: Fish, Acute Toxicity Test
Crustacea	EC50 (48 hour) > 2 mg/l Method: OECD Test No. 202

Bacteria toxicity	EC10 > 10000 mg/l Method: OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)
Algae/aquatic plants	EC50 (96 hour) > 0.09 mg/l Method: OECD Test No. 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test

12.2 Persistence and degradability

Persistence and degradability	BCF 37
Ultimate biodegradation	Readily biodegradable OECD Test No. 301C: Ready Biodegradability: Modified MITI Test (I) (TG 301 C)

12.3 Bioaccumulative potential

Bioaccumulative potential	The bioaccumulation potential is low
---------------------------	--------------------------------------

12.4 Mobility in soil

Mobility	No information available
----------	--------------------------

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Not considered to be persistent, bioaccumulating nor toxic (PBT) Not considered to be very persistent nor very bioaccumulating (vPvB)
-------------------------	--

12.6 Other adverse effects

Other information	No other ecological studies have been carried out on this product.
-------------------	--

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal of wastes	Waste incineration with the approval of the responsible local authority.
Contaminated packaging	Packaging that cannot be cleaned are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

DOT (US) Not regulated

- 14.1 UN number
- 14.2 Proper shipping name
- 14.3 Hazard class
- 14.4 Packing group
- 14.5 Environmental hazard

Land transport (ADR/RID) Not regulated

- 14.1 UN number
- 14.2 Proper shipping name
- 14.3 Hazard class
- 14.4 Packing group
- 14.5 Environmental hazard

Inland waterway transport (ADN) Not regulated

- 14.1 UN number

- 14.2 Proper shipping name
 14.3 Hazard class
 14.4 Packing group
 14.5 Environmental hazard

Air transport (ICAO-TI / IATA-DGR) Not regulated

- 14.1 UN number
 14.2 Proper shipping name
 14.3 Hazard class
 14.4 Packing group
 14.5 Environmental hazard

Sea transport (IMDG) Not regulated

- 14.1 UN number
 14.2 Proper shipping name
 14.3 Hazard class
 14.4 Packing group
 14.5 Environmental hazard

14.6 Special precautions for user

No information available

15. REGULATORY INFORMATION

15.1 Industrial Safety and Health Law

ISHA Article 37 None of the components are listed.

ISHA Article 38 None of the components are listed.

Component	ISHA - Substances to be controlled - Acids and bases	ISHA - Substances to be controlled - Metals	ISHA - Substances to be controlled - Organic Substances
Lauryl methacrylate	Not applicable	Not applicable	Not applicable

Component	ISHA - Harmful factors subject to special health check-up - Acids and bases	ISHA - Harmful factors subject to special health check-up - Metals	ISHA - Harmful factors subject to special health check-up - Organic Substances
Lauryl methacrylate	Not applicable	Not applicable	Not applicable

Component	ISHA - Harmful agents subject to Work Environment Measuring - Acids and bases	ISHA - Harmful agents subject to Work Environment Measuring - Metals	ISHA - Harmful agents subject to Work Environment Measuring - Organic Substances
Lauryl methacrylate	Not applicable	Not applicable	Not applicable

Occupational exposure limits See section 8 for more information

15.2 Toxic Chemicals Control Law

Component	TCCA - Toxic Chemicals	TCCA - Observational Chemicals	TCCA Article 32 (Banned)	TCCA Article 32 (Restricted)	Accident Precaution Chemicals
Lauryl methacrylate	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

15.3 Dangerous Substances Safety Management Act

Not classified

15.4 Wastes Management

Dispose of contents/container in accordance with all local, regional, national, and international regulations.

15.5 Other information

International InventoriesAustralia (AICS)

All ingredients are on the inventory or exempt from listing

Canada (DSL)

All ingredients are on the inventory or exempt from listing

Canada (NDSL)

None of the ingredients are on the inventory.

China (IECSC)

All ingredients are on the inventory or exempt from listing

EINECS (European Inventory of Existing Chemical Substances)

All ingredients are on the inventory or exempt from listing

ELINCS (European List of Notified Chemical Substances)

None of the ingredients are on the inventory.

ENCS (Japan)

All ingredients are on the inventory or exempt from listing

South Korea (KECL)

All ingredients are on the inventory or exempt from listing

Philippines (PICCS)

All ingredients are on the inventory or exempt from listing

TSCA (United States)

All ingredients are on the inventory or exempt from listing

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

16. OTHER INFORMATION

Product code 745801

Revision date 2015-08-28

Key or legend to abbreviations and acronyms used in the safety data sheet

NAV - Not available

Additional information

BISOMER® is a registered trademark of GEO Specialty Chemicals UK Ltd.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text